### Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

| 354.70 |
|--------|
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |
|        |


GILLETT FERN AND FLOWER FARM, INC.

62,30

MAR 5 1938 ★ U. S. Bepartment of Agriculture.


## 60th ANNIVERSARY

1878 - 1938



Ferns Azaleas Kalmias Wild Flowers Rhododendrons

**SOUTHWICK MASSACHUSETTS** 



EDWARD GILLETT 1849-1931

# Our Sixtieth Anniversary Story

Sixty years ago my grandfather, Edward Gillett, founded a Fern and Flower Farm at Southwick, Massachusetts. Previous to 1878 that particular phase of American flora had not been championed. Thus he pioneered the culture of Native Ferns and Wild Flowers and gradually established the foremost Fern and Wild Flower Nursery in America.

In the early days the founder did practically all the collecting of ferns and

wild flowers himself. As the years rolled by he gradually confined himself to growing some from seeds and letting others do the collecting. Plants were brought in by collectors from all sections of the country, and those that became readily acclimated became part of the stock of this nursery. He was really the pioneer in developing an interest in native plants, and like all pioneering, it proved hard work. But "keeping everlastingly at it" found its reward in due time.

About 1900 the founder, during a trip to the South, became impressed with the beauty and possible value to the North of native Azaleas and Rhododendrons. He shipped some for experimental purposes and found them perfectly hardy and easily adaptable to northern conditions. That marked the beginning of dealing in this type of native shrub material, all previous efforts having practically been confined to Ferns and native Wild Flowers.

When my father, Kenneth E. Gillett, assumed the management of the business in 1926 the nursery included nearly fifty acres of Rhododendrons, Azaleas and Mountain Laurel. Although my grandfather was not burdened with the actual management of the business he retained his keen interest therein until his death in May 1931.

The Broadleaved Evergreens were much loved by my father so he expanded the nursery until at the present time it contains more than one hundred acres of nursery grown material. To the trade he was widely known as the "Rhododendron, King". When death claimed him

November 7, 1932 the business sustained an irreparable loss. However, the standards that both my grandfather and father used in doing business still hold true under the present management and are such that we have many satisfied customers and friends all over the country. Sixty years of growing the best plants that nature enables us to produce have taught us the necessity of careful handling and packing and this factor has enabled us to hold our customers and convert them into friends.



KENNETH E. GILLETT 1885-1932

The founder's ideals will continue to govern our attitude toward plants, friends and business.

KENNETH E. GILLETT, Jr

Southwick, Massachusetts January 1, 1938



Office



#### HARDY FERNS

Hardy Ferns are being used in quantity for massed plantings, and selections can be made to suit almost any location. Such places as corners about the house where the sun doesn't strike can be beautified by the use of Hardy Ferns. There are a few varieties which will thrive in open sun, yet, for the most part, they will give much better results planted in a shady location.

Hardy Ferns can be planted in either the spring or fall. Care should be taken in not planting them too deep. Those varieties with a crown, plant level with the surface, while those growing from underground root stalks, plant just below the surface. Ferns thrive in a light and porous soil with a goodly amount of leaf-mold.

|  | Each   | Per 10  | Per 100 |
|--|--------|---------|---------|
| Adiantum pedatum, Maidenhair Fern              | \$ .25 | \$ 1.50 | \$12.00 |
| Asplenium platyneuron, Ebony Spleenwort        | .25    | 1.50    | 12.00   |
| Asplenium trichomanes, Maidenhair Spleenwort   | .25    | 1.50    | 12.00   |
| Athyrium Filixfemina, Lady Fern                | .25    | 1.50    | 12.00   |
| Athyrium pycnocarpon, Narrow-leaved Spleenwort | .30    | 2.50    | 20.00   |
| Athyrium thelypteroides, Silvery Spleenwort    | .25    | 1.50    | 12.00   |
| Camptosorus rhizophyllus, Walking-leaf Fern    | .25    | 2.00    | 15.00   |
| Cystopteris bulbifera, Bladder Fern            | .25    | 1.50    | 12.00   |
| Cystopteris fragilis, Small Bladder Fern       | .25    | 1.50    | 12.00   |
| Dennstedtia punctilobula, Hayscented Fern      | .25    | 1.50    | 12.00   |
| Dennstedtia punctilobula, Sq. Ft. Sods         | .60    | 5.00    | 35.00   |
| Dryopteris clintoniana, Clinton Wood Fern      | .25    | 1.50    | 12.00   |
| Dryopteris cristata, Crested Wood Fern         | .25    | 1.50    | 12.00   |
| Dryopteris dilatata, Mountain Wood Fern        | .30    | 2.00    | 15.00.  |
| Dryopteris Filix-mas, Male Fern                | .50    | 4.00    | 35.00   |
| Dryopteris Goldieanum, Goldie's Wood Fern      | .35    | 3.00    | 25.00   |
| Dryopteris hexagonoptera, Winged Wood Fern     | .25    | 1.50    | 12.00   |

|  |  | 1.50  | 12.00                           |  |  |
|--|--|---|---------------------------------|--|--|
| Dryopteris marginalis, Leather Wood Fern  Dryopteris noveboracensis, New York Fern   |  | 1.50  | 12.00                           |  |  |
| Dryopteris phegopteris, Narrow Beech Fern  |  | 1.50  | 12.00                           |  |  |
|  |  | 1.50  | 12.00                           |  |  |
| Dryopteris spinulosa, Toothed Wood Fern  |  | 1.50  | 12.00                           |  |  |
| Dryopteris thelypteris, March Fern   |  |   | 12.00                           |  |  |
| Onoclea sensibilis, Sensitive Fern   |  | 1.50  |                                 |  |  |
| Osmunda cinnamomea, Cinnamon Fern  |  | 2.00  | 15.00                           |  |  |
| Osmunda Claytoniana, Interrupted Fern  |  | 2.00  | 15.00                           |  |  |
| Osmunda regalis, Royal Fern  |  | 2.00  | 15.00                           |  |  |
| Pellaea atropurpurea, Purple Cliff Brake   |  | 4.00  | 10.00                           |  |  |
| Polypodium vulgare, Common Polypody  |  | 1.50  | 12.00                           |  |  |
| Polystichum acrostichoides, Christmas Fern   |  | 1.50  | 12.00                           |  |  |
| Polystichum Braunii, Braun Holly Fern  |  | 3.50  | 30.00                           |  |  |
| Pteretis nodulosa, Ostrich Fern  |  | 2.00  | 15.00                           |  |  |
| Pteridium aquilinum, Common Brake  |  | 1.50  | 12.00                           |  |  |
| Woodsia ilvensis, Rusty Woodsia  |  | 1.50  | 12.00                           |  |  |
| Woodsia obtusa, Obtuse-leaved Woodsia  |  | 1.50  | 12.00                           |  |  |
| Woodwardia areolata, Chain Fern  |  | 2.00  | 15.00                           |  |  |
| Woodwardia virginica, Virginia Chain Fern  |  | 1.50  | 12.00                           |  |  |
|  |  |   |                                 |  |  |
| CLUB MOSS  | ES   |   |                                 |  |  |
| Lycopodium clavatum, Running Pine  |  | 1.50  | 12.00                           |  |  |
| Lycopodium complanatum, Ground Cedar   |  | 1.50  | 12.00                           |  |  |
| Lycopodium lucidulum, Shiny Club Moss  |  | 1.50  | 12.00                           |  |  |
| Lycopodium obscurum, Ground Pine   |  | 1.50  | 12.00                           |  |  |
| Selaginella apus,  |  | 1.50  | 12.00                           |  |  |
| ·  |  | 1.00  | 12.00                           |  |  |
| COLLECTIONS OF FERNS FO  | OR SPECIAL NEE   | DS  |                                 |  |  |
| No. 1 \$5.00 For Open  |  |   |                                 |  |  |
|  |  |   |                                 |  |  |
| 5 Athyrium Filixfemina, 2-3 ft.  |  | i <b>αnα, 2-3</b> :   | ft.                             |  |  |
| 5 Athyrium Filixfemina, 2-3 ft. 20 Dennstedtia punctilobula, 1-2 ft.   | 5 Osmunda clayton  |   | ft.                             |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.   | 5 Osmunda clayton<br>5 Pteretis nodulosa,  |   | ít.                             |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  | 5 Osmunda clayton<br>5 Pteretis nodulosa,<br>hady Places   | 3-4 ft.   |                                 |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton   | 3-4 ft.   | ft.                             |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  | 5 Osmunda clayton<br>5 Pteretis nodulosa,<br>hady Places   | 3-4 ft.   | ft.                             |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros  | 3-4 ft.   | ft.                             |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros  | 3-4 ft. iana, 2-3 f   | ít.<br>, 1 ft.                  |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.   | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin   | 3-4 ft.  iana, 2-3 ftichoides  alis, 1-2 f  | ft.<br>, 1 ft.<br>t.            |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.  5 Athyrium Filixfemina, 2-3 ft.  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo  | 3-4 ft.  iana, 2-3 ftichoides  alis, 1-2 fosa, 1-11/2                                       | ft.<br>, 1 ft.<br>t.<br>ft.     |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.  5 Athyrium Filixfemina, 2-3 ft.  5 Athyrium thelypteroides, 2-3 ft.  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros  | iana, 2-3 stichoides alis, 1-2 fosa, 1-11/2 stichoides                                      | ft. , 1 ft. t. ft. , 1 ft.      |  |  |
| 20 Dennstedtia punctilobula, 1-2 ft.  No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.  5 Athyrium Filixfemina, 2-3 ft.  5 Athyrium thelypteroides, 2-3 ft.  5 Dryopteris cristata, 1 ft.  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi   | iana, 2-3 stichoides alis, 1-2 fosa, 1-11/2 stichoides                                      | ft. , 1 ft. t. ft. , 1 ft.      |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft. 5 Athyrium Filixfemina, 2-3 ft. 5 Athyrium thelypteroides, 2-3 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris hexagona  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgioptera, 1 ft.  | iana, 2-3 stichoides alis, 1-2 fosa, 1-11/2 stichoides                                      | ft. , 1 ft. t. ft. , 1 ft.      |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.  5 Athyrium Filixfemina, 2-3 ft.  5 Dryopteris cristata, 1 ft.  5 Dryopteris hexagona  No. 4 \$5.00 For Wet, C  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft.   | iana, 2-3 fiction des de la lis, 1-2 fiction des de la lis, 1-1½ fichoides de la lis, 2 ft. | ft. , 1 ft. t. ft. , 1 ft.      |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft. 5 Athyrium Filixfemina, 2-3 ft. 5 Athyrium thelypteroides, 2-3 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris hexagona  No. 4 \$5.00 For Wet, C  10 Dryopteris thelypteris, 1 ft.                             | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft. Open Ground 10 Osmunda regalis,   | iana, 2-3 fichoides  alis, 1-2 fosa, 1-1½ stichoides inica, 2 ft.                           | ft. , 1 ft.  t. , 1 ft.         |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft.  10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft.  5 Athyrium Filixfemina, 2-3 ft.  5 Dryopteris cristata, 1 ft.  5 Dryopteris hexagona  No. 4 \$5.00 For Wet, C  | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft.   | iana, 2-3 fichoides  alis, 1-2 fosa, 1-1½ stichoides inica, 2 ft.                           | ft. , 1 ft.  t. , 1 ft.         |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft. 5 Athyrium Filixfemina, 2-3 ft. 5 Athyrium thelypteroides, 2-3 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris hexagona  No. 4 \$5.00 For Wet, C  10 Dryopteris thelypteris, 1 ft.                             | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft. Open Ground 10 Osmunda regalis, 10 Woodwardia virgi                       | iana, 2-3 fichoides  alis, 1-2 fosa, 1-1½ stichoides  inica, 2 ft.                          | ft. , 1 ft.  t. , 1 ft.         |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft. 5 Athyrium Filixfemina, 2-3 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris thelypteris, 1 ft. 10 Onoclea sensibilis, 1 ft.  No. 5 \$6.00 Low Evergreen Ferms                     | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft. Open Ground 10 Osmunda regalis, 10 Woodwardia virgi s for Dry, Rocky Ledg | iana, 2-3 fichoides  alis, 1-2 fosa, 1-1½ tichoides  inica, 2 ft.                           | ft. , 1 ft.  t. , 1 ft. , 1 ft. |  |  |
| No. 2 \$5.00 For Dry, S  10 Dennstedtia punctilobula, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft. 10 Dryopteris marginalis, 1-2 ft.  No. 3 \$6.00 For Moist, S  5 Adiantum pedatum, 1 ft. 5 Athyrium Filixfemina, 2-3 ft. 5 Dryopteris cristata, 1 ft. 5 Dryopteris hexagona  No. 4 \$5.00 For Wet, C  10 Dryopteris thelypteris, 1 ft. 10 Onoclea sensibilis, 1 ft. | 5 Osmunda clayton 5 Pteretis nodulosa, hady Places 5 Osmunda clayton 10 Polystichum acros Shady Places 5 Dryopteris margin 5 Dryopteris spinulo 5 Polystichum acros 5 Woodwardia virgi optera, 1 ft. Open Ground 10 Osmunda regalis, 10 Woodwardia virgi                       | iana, 2-3 fitichoides  alis, 1-2 fosa, 1-1½ tichoides  inica, 2 ft.  2-3 ft. inica, 2 ft.   | ft. , 1 ft.  t. , 1 ft. , 1 ft. |  |  |

10 Camptosorus rhizophyllus, 4-9 in.

# NATIVE WILD FLOWERS and ROCK PLANTS

Many of the varieties you find listed below are native plants. There is no class of plants which gives the same permanency of effect as do these. When established they bloom year after year, while many of the so-called hardy plants pass their period of usefulness after two or three years.



TRILLIUM GRANDIFLORUM

|   | Each | Per 10  | Per 1U0 |
|---|------|---------|---------|
| Actaea alba, Baneberry, White, May\$                            | .35  | \$ 2.50 | \$20.00 |
| Actaea rubra, Baneberry, Red, May                               | .35  | 2.50    | 20.00   |
| Alyssum saxatile compacta, Goldentuft, Yellow, May              | .25  | 1.50    | 12.00   |
| Androsace primuloides, Rock Jasmine, Purple, May                | .25  | 1.50    | 12.00   |
| Anemone pulsatilla, Pasque Flower, Purple, April                | .25  | 2.00    | 15.00   |
| Aquilegia canadensis, Wild Columbine, Red and yellow, May       | .25  | 1.50    | 12.00   |
| Arabis mollis, Downy Rockcress, White, April                    | .25  | 1.50    | 12.00   |
| Arenaria caespitosa, Moss Sandwort, White, June                 | .25  | 1.50    | 12.00   |
| Arisaema triphyllum, Jack-in-the-Pulpit, April                  | .25  | 1.50    | 12.00   |
| Armeria maritima, Common Thrift, Pink, May                      | .25  | 1.50    | 12.00   |
| Asarum canadense, Wild Ginger, Purple, May                      | .25  | 1.50    | 12.00   |
| Asclepias tuberosa, Butterfly Weed, Orange, August              | .25  | 1.50    | 12.00   |
| Aster alpinus, Rock Aster, Lavender, June                       | .25  | 1.50    | 12.00   |
| Aster cordifolius, Wood Aster, Blue, September                  | .25  | 1.50    | 12.00   |
| Aster corymbosus, Wood Aster, White, September                  | .25  | 1.50    | 12.00   |
| Aster ericoides, Heather Aster, White, August                   | .25  | 1.50    | 12.00   |
| Aster laevis, Smooth Aster, Blue, August                        | .25  | 1.50    | 12.00   |
| Aster linariifolius, Double-bristled Aster, Violet, September   | .25  | 1.50    | 12.00   |
| Aster multiflorus, Wreath Aster, White, September               | .25  | 1.50    | 12.00   |
| Aster novae angliae, New England Aster, Purple, September       | .25  | 1.50    | 12.00   |
| Aster novi belgii, New York Aster, Pale Blue, September         | .25  | 1.50    | 12.00   |
| Baptisia tinctoria, Wild Indigo, Yellow, August                 | .25  | 1.50    | 12.00   |
| Campanula carpatica, Carpathian Bell Flower, Blue, May          | .25  | 1.50    | 12.00   |
| Campanula carpatica alba, Carpathian Bell Flower, White, May    | .25  | 2.00    | 15.00   |
| Campanula rotundifolia, Harebell, Blue, May                     | .25  | 1.50    | 12.00   |
| Caulophyllum thalictroides, Blue Cohosh, Yellow, May            | .25  | 1.50    | 12.00   |
| Chelone glabra, Snake Head, White, August                       | .25  | 1.50    | 12.00   |
| Chimaphila maculata, Striped Pipsissewa, White, June            | .25  | 1.50    | 12.00   |
| Chimaphila umbellata, Common Pipsissewa, White, June            | .25  | 1.50    | 12.00   |
| Cimicifuga racemosa, Black Snakeroot, White, August             | .25  | 1:50    | 12.00   |
| Claytonia virginica, Springbeauty, Rose, April                  | .15  | 1.00    | 8.00    |
| Clintonia borealis, Bluebeard, Yellow, April                    | .15  | 1.00    | 8.00    |
| Convallaria majalis, Lily-of-the-Valley, White, June            | .25  | 1.50    | 12.00   |
| Coptis trifolia, Gold-thread, White, May                        | .25  | 1.50    | 12.00   |
| Cornus canadensis, Bunchberry, White, June                      | .30  | 2.50    | 20.00   |
| Delphinium grandiflorum chinensis, Slender Larkspur, Blue, June | .25  | 1.50    | 12.00   |
| Dentaria diphylla, Crinkleroot, White, May                      | .15  | 1.00    | 8.00    |
|   |      |         |         |

|  | Each       | Per 10       | Per 100        |
|--|------------|--------------|----------------|
| Dianthus barbatus, Sweet William, Mixed colors, June   | .25        | 1.50         | 12.00          |
| Dianthus deltoides, Maiden Pink, Crimson, June   | .25        | 1.50         | 12.00          |
| Dianthus plumarius, Grass Pink, Pink, June   | .25        | 1.50         | 12.00          |
| Dicentra canadensis, Squirrel Corn, White, April   | .15<br>.15 | 1.00<br>1.00 | 8.00<br>8.00   |
| Digitalis gloxinoides, Foxglove, Mixed colors, June  | .15        | 1.50         | 12.00          |
| Dodecatheon meadia, Shooting Star, Rose to White, May  | .30        | 2.50         | 20.00          |
| Erythronium americanum, Common Troutlily, Yellow, April  | .15        | 1.00         | 8.00           |
| Erythronium americanum albidum, White Troutlily, White, April  | .15        | 1.00         | 8.00           |
| Erythronium grandiflorum, Glacierlily, Yellow, April   | .15        | 1.00         | 8.00           |
| Erythronium Hendersonii, Henderson's Lily, Lavender, April   | .15        | 1.00         | 8.00           |
| Eupatorium perfoliatum, Thoroughwort, White, August  | .25        | 1.50         | 12.00          |
| Eupatorium purpureum, Joe Pye Weed, Purple, August<br>Eupatorium urticaefolium, Snow Thoroughwort, White, August | .25<br>.25 | 1.50<br>1.50 | 12.00<br>12.00 |
| Galax aphylla, Native Galax, White, June   | .30        | 2.00         | 15.00          |
| Gaultheria procumbens, Wintergreen, White, May   | .25        | 1.50         | 12.00          |
| Gentiana Andrewsii, Closed Gentian, Blue, August   | .25        | 1.50         | 12.00          |
| Geranium maculatum, Wild Geranium, Purple, June  | .25        | 1.50         | 12.00          |
| Hepatica acutiloba, Acute-lobed Hepatica, White to pink, April   |            | 1.50         | 12.00          |
| Hepatica triloba, Round-lobed Hepatica, Pink to purple, April  | .25        | 1.50         | 12.00          |
| Houstonia caerulea, Bluet, Pale blue, April  | .15        | 1.00         | 8.00           |
| Hypoxis hirsuta, Star Grass, Yellow, June  | .25        | 1.50         | 12.00<br>15.00 |
| Iberis sempervirens, Candytuft, White, MayIris cristata, Crested Iris, Pale blue, May                            | .25<br>.25 | 2.00         | 12.00          |
| Iris pseudacorus, Yellowflag Iris, Yellow, June  | .25        | 1.50         | 12.00          |
| Iris verna, Vernal Iris, Blue and yellow, May  | .25        | 1.50         | 12.00          |
| Iris versicolor, Blueflag Iris, Blue, June   | .25        | 1.50         | 12.00          |
| Liatris pycnostachya, Cat-tail Gayfeather, Purple, July  | .25        | 1.50         | 12.00          |
| Liatris scariosa, Native Gayfeather, Purple, July  | .25        | 1.50         | 12.00          |
| Lilium canadense, Canada Lily, Yellow, July  | .25        | 2.00         | 15.00          |
| Lilium philadelphicum, Orangecup, Reddish orange, July   | .25        | 2.00         | 15.00          |
| Lilium superbum, American Turkscap, Orange, July   | .25        | 2.00         | 15.00          |
| Lobelia cardinalis, Cardinal Flower, Red, July   | .25        | 1.50         | 12.00<br>12.00 |
| Lychnis viscaria, fl. spl., Rosepink Campion, June   | .25<br>.25 | 1.50<br>1.50 | 12.00          |
| Lysimachia numularia, Moneywort, Yellow, June  | .25        | 1.50         | 12.00          |
| Lythrum salicaria, Loosestrife, Rose purple, July  | .25        | 1.50         | 12.00          |
| Maianthemum bifolium, False Lily-of-the-Valley, White, May   | .25        | 1.50         | 12.00          |
| Mertensia virginica, Virginia Bluebell, Blue, May  | .25        | 1.50         | 12.00          |
| Mitchella repens, Partridge Berry, White, May  | .25        | 1.50         | 12.00          |
| Mitella diphylla, Bishop's Cap, White, May   | .25        | 1.50         | 12.00          |
| Myosotis scorpioides, True Forget-Me-Not, Blue, May  | .25        | 1.50         | 12.00          |
| Parnassia caroliniana, Carolina Parnassus, White, May  | .25        | 1.50         | 12.00<br>8.00  |
| Phlox amoena, Amoena Phlox, Bright Pink, MayPhlox divaricata, Blue Phlox, Pale Lilac, May                        | .15<br>.25 | 1.00<br>1.50 | 12.00          |
| Phlox subulata, Moss Pink Phlox, May   | .15        | 1.00         | 8.00           |
| Phlox subulata alba, White, May  | .15        | 1.00         | 8.00           |
| Phlox subulata lilacina, Light Blue, May   | .15        | 1.00         | 8.00           |
| Phlox vivid, Clear Pink, May   | .25        | 1.50         | 12.00          |
| Podophyllum peltatum, Mayapple, White, June  | .25        | 1.50         | 12.00          |
| Polygala paucifolia, Fringed Polygala, Rose Purple, May  | .25        | 1.50         | 12.00          |
| Polygonatum biflorum, Small Solomon's Seal, June   | .25        | 1.50         | 12.00          |
| Polygonatum commutatum, Great Solomon's Seal, June   | .25        | 1.50<br>1.50 | 12.00<br>12.00 |
| Primula cachemiriana, Primrose, Dark Lilac, May<br>Primula japonica, Crimson or Creamy White, June               | .25<br>.25 | 1.50         | 12.00          |
| Primula polyantha, Garnet and Yellow, June   | .25        | 1.50         | 12.00          |
| Pyrola rotundifolia, Shin Leaf, White, July  | .25        | 1.50         | 12.00          |
| Sanguinaria canadensis, Bloodroot, White, April  | .15        | 1.00         | 8.00           |
| Saxifraga virginiensis, Virginia Saxifraga, White, May   | .15        | 1.00         | 8.00           |
| Sedum acre, Goldmoss, Yellow, June   | .15        | 1.00         |                |
| Sedum album, White Stonecrop, White, June  | .15        | 1.00         |                |
| Sedum lydium, Lydian Stonecrop, Pink, June   | .15        | 1.00         |                |
| Sedum rupestre minor, Yellow, June   | .15        | 1.00         |                |
| Sedum saramentosum, Stringy Stonecrop, Yellow, June  | .15<br>.15 | 1.00<br>1.00 | 8.00<br>8.00   |
| Sedum sexangulare, Hexagon Stonecrop, Yellow, June   | .15        | 1.00         | 8.00           |
| Seddin Stolomeram, Rumming Stonecrop, Pink, June   | .10        | 1.00         | 3.00           |

\$

|   | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| Sedum stoloniferum coccineum, Scarlet, June                   | .15  | 1.00   | 8.00    |
| Sedum spectabile, Showy Sedum, Rose, August                   | .25  | 1.50   | 12.00   |
| Sempervivum Alberti, Houseleek, Bright Pink, June             | .15  | 1.00   | 8.00    |
| Sempervivum arachnoideum, Spiderweb Houseleek, Pink, June     | .15  | 1.00   | 8.00    |
| Sempervivum globiferum, Globe Houseleek, Yellow, June         | .15  | 1.00   | 8.00    |
| Sempervivum tectorum, Roof Houseleek, June                    | .15  | 1.00   | 8.00    |
| Shortia galacifolia, Oconee Bells, White, April               | .35  | 3.00   | 25.00   |
| Smilacina racemosa, False Solomon's Seal, White, June         | .25  | 1.50   | 12.00   |
| Solidago caesia, Wreath Goldenrod, Yellow, August             | .25  | 1.50   | 12.00   |
| Solidago canadensis, Canadian Goldenrod, Yellow, August       | .25  | 1.50   | 12.00   |
| Solidago nemoralis, Oldfield Goldenrod, Yellow, August        | .25  | 1.50   | 12.00   |
| Thalictrum dioicum, Early Meadowrue, Purple, July             | .15  | 1.00   | 8.00    |
| Thalictrum polyganum, Tall Meadowrue, White, July             | .25  | 1.50   | 12.00   |
| Thymus lanuginosus, Wooly Thyme, June                         | .15  | 1.00   | 8.00    |
| Thymus serpyllum, Mother of Thyme, Lavender, June             | .15  | 1.00   | 8.00    |
| Thymus serpyllum album, White, June                           | .15  | 1.00   | 8.00    |
| Thymus serpyllum coccineus, Scarlet, June                     | .15  | 1.00   | 8.00    |
| Tiarella cordifolia, False Miterwort, White, May              | .25  | 1.50   | 12.00   |
| Trillium erectum, Purple Trillium, April                      | .25  | 1.50   | 12.00   |
| Trillium grandiflorum, Snow Trillium, AprilApril              | .20  | 1.25   | 10.00   |
| Trillium stylosum, Rose Trillium, April                       | .25  | 1.50   | 12.00   |
| Trillium undulatum, Painted Trillium, White with purple base, |      |        |         |
| April   | .25  | 1.50   | 12.00   |
| Tunica saxifraga, Tunicflower, Pink, June                     | .25  | 1.50   | 12.00   |
| Uvularia grandiflora, Big Merrybells, Yellow, May             | .20  | 1.25   | 10.00   |
| Uvularia perfoliata, Wood Merrybells, Yellow, May             | .15  | 1.00   | 8.00    |
| Uvularia sessilifolia, Little Merrybells, Yellow, May         | .15  | 1.00   | 8.00    |
| Veronica incana, Woolly Speedwell, Blue, June                 | .25  | 1.50   | 12.00   |
| Veronica prostrata, Harebell Speedwell, Blue, June            | .25  | 1.50   | 12.00   |
| Vinca minor, Blue Myrtle, Blue, June                          | .25  | 1.50   | 12.00   |
| Viola blanda, Sweet White Violet, White, May                  | .20  | 1.25   | 10.00   |
| Viola canadensis, Canadian Violet, White, May                 | .25  | 1.50   | 12.00   |
| Viola conspersa silvestris, Dog Violet, Blue, May             | .20  | 1.25   | 10.00   |
| Viola cornuta, Tufted Pansy, Bright Lavender, May             | .25  | 1.50   | 12.00   |
| Viola cucullata, Blue Marsh Violet, Blue, May                 | .15  | 1.00   | 8.00    |
| Viola lutea, European Yellow Violet, May                      | .25  | 1.50   | 12.00   |
| Viola palmata, Blue Palmate Violet, May                       | .25  | 1.50   | 12.00   |
| Viola pedata, Bird's-foot Violet, Bluish Purple, May          | .25  | 1.50   | 12.00   |
| Viola pedata bicolor, May                                     | .25  | 2.00   | 15.00   |
| Viola pubescens, Downy Yellow Violet, May                     | .25  | 1.50   | 12.00   |
| Viola septentrionalis, White, Purple throat, May              | .25  | 1.50   | 12.00   |
| Viola tricolor, Johnny-Jump-Ups, Yellow and purple, May       | .15  | 1.00   | 8.00    |



CYPRIPEDIUM PUBESCENS

#### BOG PLANTS AND NATIVE ORCHIDS



CALTHA PALUSTRIS

To the group of plants which can be conveniently classed as Bog Plants belong some of the most interesting varieties of our American flora. These require a damp situation in which the moisture must be constant yet not excessive.

Native Orchids can be successfully grown under the right conditions. The Cypripedium acaule should be planted where the soil is very light, composed chiefly of sand and where the drainage is exceptionally good, and should always be planted in the shade. The Cypripedium spectabile requires boggy conditions where there is constant moisture. The Cypripedium pubescens will grow either under boggy conditions or in a rich wood soil in the shade.

| Acorus calamus, Sweet Flag,  Calla palustris, Wild Calla, Pale yellow, June  Caltha palustris, Marsh Marigold, Bright yellow, April  Calopogon pulchellus, Grass Pink Orchid, June  | .25<br>.15<br>.25<br>.25               | 1.50<br>1.00<br>1.50<br>1.50                         | 12.00<br>8.00<br>12.00<br>12.00                            |
|---|--|--|--|
| Cypripedium acaule, Lady's Slipper—Moccasin Flower, Rose purple, May Cypripedium pubescens, Yellow Lady's Slipper, May Cypripedium spectabile, Showy Lady's Slipper, May Goodyera pubescens, Rattlesnake Plantain, White, July Juncus effusus, Bog Rush Menyanthes trifoliata, Buck Bean, White, June Pogonia ophioglossoides, Snake Mouth Orchid, Pink, June | .25<br>.25<br>.30<br>.25<br>.15<br>.25 | 2.00<br>2.00<br>2.50<br>1.50<br>1.00<br>1.50<br>1.50 | 15.00<br>15.00<br>20.00<br>12.00<br>8.00<br>12.00<br>12.00 |
| Primroses—See Hardy Perennials Sarracenia flava, Trumpet-Leaf, Yellow, July Sarracenia purpurea, Pitcher Plant, Deep purple, July Scirpus atrovirens, Marsh Sedge Typha latifolia, Cat-tail Vaccinium macrocarpon, American Cranberry, June Veratrum viride, American White Hellebore   | .25<br>.25<br>.15<br>.25<br>.25        | 1.50<br>1.50<br>1.00<br>1.50<br>1.50<br>1.50         | 12.00<br>12.00<br>8.00<br>12.00<br>12.00<br>12.00          |

#### EVERGREEN SHRUBS—NATIVE RHODODENDRONS

For permanent and substantial plantings in shaded places, nothing surpasses cur Native Broad-leaved Evergreens. Native Rhododendrons and Azaleas combine to give a naturalistic planting that luxuriance which is hard to describe. Our stock is of the finest quality and is grown in our Nursery from cut-back clumps. The prices listed are f.o.b Southwick and include packing charges.

#### **VARIETIES**

| VARIETIES   |                            |   |   |                               |                            |                             |
|---|----------------------------|---|---|-------------------------------|----------------------------|-----------------------------|
| <b>Daphne cneorum,</b> Garland F<br>6-8 in\$ .60<br>8-10 in\$ .75                               | \$ 5.00 \$4                | 5.00                                    | 0-12 in2-15 in  | <b>Ecch</b><br>\$ .85<br>1.10 | Per 10<br>\$ 8.00<br>10.00 | Per 100<br>\$75.00<br>90.00 |
| Ilex glabra, Inkberry         15-18 in       \$1.75         18-24 in       2.25                 | 20.00 17                   | 25.00 2<br>25.00                        | 2-2 <sup>1</sup> / <sub>2</sub> ft  | \$2.75                        | \$25.00                    | \$225.00                    |
| Kalmia latifolia, Mountain La<br>12-15 in\$1.25<br>15-18 in1.50                                 | \$11.50 \$10               | 0.00 1<br>0.00 2                        | 8-24 in<br>2-21/ <sub>2</sub> ft  | \$2.00<br>2.50                | \$17.50<br>22.50           | \$150.00<br>200.00          |
| Leucothoe catesbaei, Droopis  |                            | noe<br>10.00 1                          | 8-24 in   | \$1.50                        | \$13.50                    | \$125.00                    |
| Pieris floribunda, Lily-of-the-<br>12-15 in\$1.25<br>15-18 in\$1.50                             | \$10.00 \$8                | 15.00                                   | 8-24 in<br>2-2½ ft  | \$1.75<br>2.25                | \$15.00<br>20.00           | \$125.00<br>175.00          |
| Rhododendron carolinianum         12-15 in       \$2.25         15-18 in       2.50             | \$20.00 \$17               | 5.00                                    | 8-24 in<br>2-21/ <sub>2</sub> ft  |                               | 25.00<br>27.50             | 225.00<br>250.00            |
| Rhododendron cαtαwbiense,         12-15 in  | \$17.50 \$15<br>22.50 20   | Rosy Purple<br>0.00 2<br>0.00 2<br>5.00 | 2-21/ <sub>2</sub> ft<br>21/ <sub>2</sub> -3 ft                           | \$3.25<br>3.50                | \$30.00<br>32.50           | \$275.00<br>300.00          |
| Rhododendron maximum, Ro         15-18 in       \$1.75         18-24 in       2.00              | \$15.00 \$12               | nite<br>25.00 2<br>00.00 2              | 2-21/ <sub>2</sub> ft<br>21/ <sub>2</sub> -3 ft                           | \$2.50<br>3.00                | \$22.50<br>27.50           | \$200.00<br>250.00          |
|   | HARD                       | Y AZALEA                                | S   |                               |                            |                             |
| Azalea arborescens, Sweet A   | Azalea, Wi<br>\$15.00 \$12 | nite<br>25.00 1                         | 8-24 in   | \$2.00                        | \$17.50                    | \$150.00                    |
| <b>Azalea calendulacea,</b> Flame 15-18 in  | \$12.50 \$10               | 0.00 2<br>0.00 2                        | 2-2 <sup>1</sup> / <sub>2</sub> ft<br>2 <sup>1</sup> / <sub>2</sub> -3 ft | \$2.25<br>2.50                | \$20.00<br>22.50           | \$175.00<br>200.00          |
| <b>Azalea canescens,</b> Piedmont 15-18 in  | \$15.00 \$12               | ink                                     | 2-2½ ft2½-3 ft  |                               | \$20.00<br>22.50           | \$175.00<br>200.00          |
| <b>Azalea nudiflora,</b> Pinxter, Pin 15-18 in  | \$15.00 \$12               | 25.00 2<br>0.00                         | 2-2 <sup>1</sup> / <sub>2</sub> ft  | \$2.25                        | \$20.00                    | \$175.00                    |
| <b>Azalea vaseyi,</b> Southern Pin<br>15-18 in\$1.75<br>18-24 in\$2.00                          | \$15.00 \$12               | 25.00 2<br>0.00 2                       | 2-2 <sup>1</sup> / <sub>2</sub> ft<br>2 <sup>1</sup> / <sub>2</sub> -3 ft | \$2.25<br>2.50                | \$20.00<br>22.50           | \$175.00<br>200.00          |
| <b>Azalea viscosa,</b> Swamp Aza<br>2-21/ <sub>2</sub> ft\$1.50<br>21/ <sub>2</sub> -3 ft\$2.00 | \$12.50 \$10               | 0.00 ~                                  | 3-4 ft  | \$2.50                        | \$22.50                    | \$200.00                    |
| Rhodora canadensis, Rose Pril 12-18 in\$ .50  | urple<br>\$ 4.50 \$ 4      | 0.00                                    |   |                               |                            |                             |
| Vaccinium corymbosum, Hig<br>1½-2 ft\$ .85  | h-bush Blu                 |   | 2-3 ft  | \$1.25                        | \$10.00                    | \$ 75.00                    |
| СО  | NIFEROI                    | JS EVERG                                | REENS   |                               |                            |                             |
| Taxus cuspidata capitata  |                            |   | •   |                               | i i i                      |                             |
| 12-15 in \$1.25<br>15-18 in 1.75  | 15.00 13                   | 0.00 1<br>5.00                          | 8-24 in   | \$2.25                        | \$20.00                    | \$185.00                    |
| <b>Tsuga canadensis,</b> Common  3-4 ft   | \$27.50 \$25<br>37.50 35   | 0.00<br>0.00                            | 5-6 ft  | \$5.00<br>6.00                | \$47.50<br>57.50           | \$450.00<br>550.00          |
| Tsuga caroliniana, Carolina<br>1-2 ft\$1.00   |                            | 0.00                                    | 2-3 ft  | \$2.00                        | \$17.50                    | \$150.00                    |



RHODODENDRON CATAWBIENSE, 18-inch grade

#### GENERAL INFORMATION

**SHIPPING INSTRUCTIONS**—Our shipping season opens about April 1st. Customers are requested to state how stock is to be shipped. In case no instructions are furnished by a customer, we will exercise our best judgment, but will not be responsible for damage to stock which may result from long transit.

**CLAIMS**—No claims will be entertained unless made within 10 days of receipt of goods. When shipments are injured by delays in transit, claims should at once be made against transportation company by consignee.

**PRICES**—The prices in this list include packing and delivery to the local express or freight station. In the case of Broadleaved Evergreens and Azaleas, where they are shipped with balls of earth, the price includes careful digging and burlapping. Packing will be charged for in addition, at cost, for Wholesale Trade.

When Bulbs or Ferns are ordered in small quantities they can be delivered by parcel post and an extra charge of 10% of the cost of the plants should be added to cover delivery charges East of the Mississippi River and 20% on orders to points West of the Mississippi River.

Five of any one variety and size will be sold at the 10 rate. Thirty or more of any one variety, at the 100 rate.


A discount of 2% will be given when remittance accompanies the order. All unknown Parties should send remittance with order.

All shipments will be accompanied by Certificates of Inspection, both Federal and State.

HOW TO REACH OUR NURSERIES—Our nurseries are located at Southwick, Mass. The New College Highway, extending from Northampton to New Haven, passes our nurseries, making them easily reached by automobile from all directions. Visitors are always welcome.

#### GILLETT FERN AND FLOWER FARM, INC.

SOUTHWICK, MASS.



# 60th ANNIVERSARY 1878 - 1938

GILLETT FERN AND FLOWER FARM, Inc.

Southwick Massachusetts